

Package: eoffice (via r-universe)

September 13, 2024

Type Package

Title Export or Graph and Tables to 'Microsoft' Office and Import Figures and Tables

Version 0.2.2

Description Provides wrap functions to export and import graphics and data frames in R to 'microsoft' office. And This package also provide write out figures with lots of different formats. Since people may work on the platform without GUI support, the package also provide function to easily write out figures to lots of different type of formats. Now this package provide function to extract colors from all types of figures and pdf files.

License GPL-2

Imports officer, rvg, flextable, broom, dplyr, magrittr, ggplotify, R.devices, devEMF, magick, ggplot2, htmlwidgets, plotly

Encoding UTF-8

Suggests knitr, markdown, rmarkdown

VignetteBuilder knitr

RoxygenNote 7.1.1

NeedsCompilation no

Author Kai Guo [aut, cre]

Maintainer Kai Guo <guokai8@gmail.com>

Date/Publication 2022-10-05 07:30:02 UTC

Repository <https://guokai8.r-universe.dev>

RemoteUrl <https://github.com/cran/eoffice>

RemoteRef HEAD

RemoteSha 506a217052fbd334fd6ab170a2c3dc02c391f0de

Contents

| | |
|------------------------|----|
| .gettext | 2 |
| .getfilename | 3 |
| .setcolnames | 3 |
| .theme_blank | 3 |
| col2hex | 4 |
| convertplot | 4 |
| indocx | 5 |
| infigure | 5 |
| inoffice | 6 |
| inpptx | 7 |
| todocx | 7 |
| tooffice | 8 |
| tofigure | 10 |
| tohtml | 11 |
| topptx | 11 |
| totable | 13 |
| toxlsx | 13 |

| | |
|--------------|-----------|
| Index | 15 |
|--------------|-----------|

| | |
|----------|----------------------------|
| .gettext | <i>get the suffix name</i> |
|----------|----------------------------|

Description

get the suffix name

Usage

.gettext(x)

Arguments

| | |
|---|----------|
| x | filename |
|---|----------|

.getfilename *get the prefix name*

Description

get the prefix name

Usage

.getfilename(x)

Arguments

x filename

.setcolnames *set first row as column name*

Description

set first row as column name

Usage

.setcolnames(file)

Arguments

file input data frame

Author(s)

Kai Guo

.theme_blank *blank theme*

Description

blank theme

Usage

.theme_blank()

col2hex

col2hex gplots

Description

col2hex gplots

Usage

col2hex(cname)

Argumentscname color name

convertplot

convert basic plot to ggplot object

Description

convert basic plot to ggplot object

Usage

convertplot(exp)

Arguments

exp expression formula of basic plot

Value

ggplot object

Author(s)

Kai Guo

Examples

```
p <- convertplot(plot(1:10))
class(p)
print(p)
```

| | |
|--------|-----------------------------|
| indocx | <i>read table from docx</i> |
|--------|-----------------------------|

Description

read table from docx

Usage

```
indocx(filename, header = FALSE)
```

Arguments

| | |
|----------|------------------------------|
| filename | input filename |
| header | use first row as column name |

Author(s)

Kai Guo

Examples

```
totable(t.test(wt ~ am, mtcars), filename = file.path(tempdir(), "mtcars.docx"))
tabs <- indocx(filename = file.path(tempdir(), "mtcars.docx"), header = TRUE)
tabs
```

| | |
|----------|--|
| infigure | <i>import figures and extract the colors used in the figures</i> |
|----------|--|

Description

import figures and extract the colors used in the figures

Usage

```
infigure(  
  filename,  
  format = NULL,  
  exclude_col = NULL,  
  topn = 10,  
  showfig = FALSE,  
  showcol = FALSE,  
  saveegg = FALSE,  
  density = 300,  
  pages = NULL  
)
```

Arguments

| | |
|-------------|---|
| filename | input filename |
| format | format of input file |
| exclude_col | vector of colors to be excluded from the analysis |
| topn | display the most frequent colors |
| showfig | display the figure or not (default: FALSE) |
| showcol | display extracted colors or not (default: FALSE) |
| savegg | save the figure as ggplot2 object or not (default: FALSE) |
| density | resolution to render pdf |
| pages | integer vector with page numbers (pdf file). Defaults to all pages. |

Author(s)

Kai Guo

Examples

```
if(interactive()){
  require(ggplot2)
  p <- ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) + geom_point()
  tofigure(p, filename = file.path(tempdir(), "mtcars.pdf"))
  pp <- infigure(filename = file.path(tempdir(), "mtcars.pdf"), exclude_col="white")
  pp
}
```

inoffice

read tables from ppt and word

Description

read tables from ppt and word

Usage

```
inoffice(filename, format = NULL, header = TRUE)
```

Arguments

| | |
|----------|------------------------------|
| filename | input filename |
| format | pptx or docx |
| header | use first row as column name |

Author(s)

Kai Guo

Examples

```
## use tempdir for the example
totable(t.test(wt ~ am, mtcars), filename = file.path(tempdir(), "mtcars.docx"))
tabs <- inoffice(filename = file.path(tempdir(), "mtcars.docx"), header = TRUE)
tabs
```

| | |
|--------|-----------------------------|
| inpptx | <i>read table from pptx</i> |
|--------|-----------------------------|

Description

read table from pptx

Usage

```
inpptx(filename, header = FALSE)
```

Arguments

| | |
|----------|------------------------------|
| filename | input filename |
| header | use first row as column name |

Author(s)

Kai Guo

Examples

```
totable(t.test(wt ~ am, mtcars), filename = file.path(tempdir(), "mtcars.pptx"))
tabs <- inpptx(filename = file.path(tempdir(), "mtcars.pptx"), header = TRUE)
tabs
```

| | |
|--------|------------------------------|
| todocx | <i>export figure to docx</i> |
|--------|------------------------------|

Description

export figure to docx

Usage

```
todocx(  
  figure = NULL,  
  filename = NULL,  
  title = "",  
  width = 6,  
  height = 6,  
  append = FALSE,  
  devsize = FALSE,  
  units = "in"  
)
```

Arguments

| | |
|----------|---|
| figure | plot figure function |
| filename | output filename |
| title | title for the figure |
| width | width of the output figure |
| height | height of the output figure |
| append | append or not |
| devsize | Boolean value show use device size or not (default = FALSE) |
| units | the units in which to return the value – inches, cm, or pixels (device units) |

Author(s)

Kai Guo

Examples

```
if(interactive()){  
  plot(mtcars$mpg, mtcars$disp)  
  todocx(filename = file.path(tempdir(), "mtcars.docx"))  
  ## use ggplot2  
  ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) + geom_point()  
  todocx(filename = file.path(tempdir(), "mtcars.docx"), height = 6, width = 4)  
}
```

toffice

export graph to MS office

Description

export graph to MS office

Usage

```
toffice(  
  figure = NULL,  
  format = "pptx",  
  filename = "temp.pptx",  
  nr = 1,  
  nc = 1,  
  irow = 1,  
  icol = 1,  
  onsame = FALSE,  
  title = "",  
  left = 0.15,  
  top = 0.15,  
  append = FALSE,  
  width = 4,  
  height = 4,  
  devsize = FALSE,  
  units = "in"  
)
```

Arguments

| | |
|------------|--|
| figure | plot figure function |
| format | file format |
| filename | output filename |
| nr, nc | two numbers to indicate the figures will be drawn in an nr-by-nc array on the device by columns or rows, respectively. |
| irow, icol | two number to indicate which row or column for the figure to be drawn |
| onsame | Boolean value show to draw on same slide or not |
| title | title for the figure |
| left, top | two numbers which gives the number of lines of margin to be specified on the left and right sides of the plot |
| append | append or not |
| width | width of the output figure |
| height | height of the output figure |
| devsize | Boolean value show use device size or not (default = FALSE) |
| units | the units in which to return the value – inches, cm, or pixels (device units) |

Author(s)

Kai Guo

Examples

```

if(interactive()){
plot(mtcars$mpg, mtcars$disp)
tofigure(filename = file.path(tempdir(), "mtcars.pptx"), format = "pptx")
## use ggplot2
ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) + geom_point()
tofigure(filename = file.path(tempdir(), "mtcars.pptx"),format = "pptx")
}

```

tofigure

output figures to different formats

Description

output figures to different formats

Usage

```
tofigure(figure, format = NULL, filename = "temp.pdf")
```

Arguments

| | |
|-----------------|--|
| <i>figure</i> | output figure function, set NULL output the current figure |
| <i>format</i> | output format (could be ingored) |
| <i>filename</i> | output filename with different format as suffix |

Author(s)

Kai Guo

Examples

```

require(ggplot2)
p <- ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) + geom_point()
tofigure(p,filename = file.path(tempdir(), "mtcars.pdf"))
## or use ggplot directly
tofigure(ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) +
geom_point(), filename = file.path(tempdir(), "mtcars.eps"))

## if you use basic plot function or other plot function you
## need first use convertplot to convert it to ggplot object
## when you are working on the platform without GUI
p <- convertplot(plot(1:10))
tofigure(p, filename = file.path(tempdir(), "mtcars.pdf"))
topptx(p, filename = file.path(tempdir(), "mtcars.pptx"))

```

| | |
|--------|--|
| tohtml | <i>export as plotly html (only support ggplot2 object)</i> |
|--------|--|

Description

export as plotly html (only support ggplot2 object)

Usage

```
tohtml(figure, filename = "temp.html", save = TRUE)
```

Arguments

| | |
|----------|--|
| figure | output figure function, set NULL output the current figure |
| filename | output format (could be ingored) |
| save | save figure or not (default: TRUE) |

Author(s)

Kai Guo

Examples

```
if(interactive()){
  require(ggplot2)
  p <- ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) + geom_point()
  tohtml(p, filename = file.path(tempdir(), "mtcars.html"))
  ## or use ggplot directly
  ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) +
  geom_point()
  tohtml(save = FALSE)
}
```

| | |
|--------|------------------------------|
| topptx | <i>export figure to pptx</i> |
|--------|------------------------------|

Description

export figure to pptx

Usage

```

topptx(
  figure = NULL,
  filename = NULL,
  nr = 1,
  nc = 1,
  irow = 1,
  icol = 1,
  onsame = FALSE,
  title = "",
  left = 0.15,
  top = 0.15,
  width = 6,
  height = 6,
  append = FALSE,
  devsize = FALSE,
  units = "in"
)

```

Arguments

| | |
|------------|--|
| figure | plot figure function |
| filename | output filename |
| nr, nc | two numbers to indicate the figures will be drawn in an nr-by-nc array on the device by columns or rows, respectively. |
| irow, icol | the number to indicate which row or column for the figure to be drawn |
| onsame | Boolean value show to draw on same slide or not |
| title | title for the figure |
| left, top | two numbers which gives the number of lines of margin to be specified on the left and right sides of the plot |
| width | width of the output figure |
| height | height of the output figure |
| append | append or not |
| devsize | Boolean value show use device size or not (default = FALSE) |
| units | the units in which to return the value – inches, cm, or pixels (device units) |

Author(s)

Kai Guo

Examples

```

if(interactive()){
  plot(mtcars$mpg, mtcars$disp)
  topptx(filename = file.path(tempdir(), "mtcars.pptx"))
}

```

```
## use ggplot2
ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) + geom_point()
topptx(filename = file.path(tempdir(), "mtcars.pptx"))
}
```

| | |
|---------|--|
| totable | <i>write table out to pptx or docx</i> |
|---------|--|

Description

write table out to pptx or docx

Usage

```
totable(data, filename, format = NULL, append = FALSE)
```

Arguments

| | |
|----------|------------------|
| data | datasets |
| filename | output filename |
| format | pptx or docx |
| append | append into file |

Author(s)

Kai Guo

Examples

```
tt <- t.test(wt ~ am, mtcars)
totable(tt, filename = file.path(tempdir(), "mtcars.pptx"))
totable(t.test(wt ~ am, mtcars), filename = file.path(tempdir(), "mtcars.pptx"))
totable(head(mtcars), filename = file.path(tempdir(), "mtcars.docx"))
```

| | |
|--------|------------------------------|
| toxlsx | <i>export figure to pptx</i> |
|--------|------------------------------|

Description

export figure to pptx

Usage

```
toxlsx(  
  figure = NULL,  
  filename = NULL,  
  width = 6,  
  height = 6,  
  devsize = FALSE,  
  units = "in"  
)
```

Arguments

| | |
|----------|---|
| figure | plot figure function |
| filename | output filename |
| width | width of the output figure |
| height | height of the output figure |
| devsize | Boolean value show use device size or not (default = FALSE) |
| units | the units in which to return the value – inches, cm, or pixels (device units) |

Author(s)

Kai Guo

Examples

```
if(interactive()){  
  plot(mtcars$mpg, mtcars$disp)  
  toxlsx(filename = file.path(tempdir(), "mtcars.xlsx"))  
  ## use ggplot2  
  ggplot(mtcars, aes(mpg, disp, color = factor(cyl))) + geom_point()  
  toxlsx(filename = file.path(tempdir(), "mtcars.xlsx"))  
}
```

Index

.gettext, [2](#)
.getfilename, [3](#)
.setcolnames, [3](#)
.theme_blank, [3](#)

col2hex, [4](#)
convertplot, [4](#)

indocx, [5](#)
infigure, [5](#)
inoffice, [6](#)
inpptx, [7](#)

todocx, [7](#)
toffice, [8](#)
tofigure, [10](#)
tohtml, [11](#)
topptx, [11](#)
totable, [13](#)
toxlsx, [13](#)